

GTHL Concussion Policy

CONCUSSION EDUCATION & AWARENESS RESOURCES

- Mandatory in-person education sessions are provided to all coaches and trainers in order to participate in the GTHL by the Concussion Centre at Holland Bloorview Kids Rehabilitation Hospital. Education was provided on the recognition, reporting and referral to appropriate medical assessment for suspected concussions, in addition to supporting return to sport protocols and requirement of medical clearance prior to return to contact practice and game play. Education was also provided on the implementation of this concussion policy and protocol across the GTHL.
- Concussion awareness resources are available on [our website](#) for all parents, players, officials, managers and other team or club members. Any participating member must review the GTHL concussion policy and concussion awareness resources prior to start of the hockey season.

STEP 1: RECOGNITION & REMOVAL-FROM-SPORT

Recognizing a suspected concussion and removal from sport

- a) **What is a concussion?** A concussion is an injury to the brain caused by a blow to the head or to another part of the body that causes the brain to move inside the skull. All players who experience any concussion signs and symptoms (*Figure 1*) and/or observable signs of a suspected concussion (*Figure 2*) following a blow to the head, face, neck or another part of the body is considered to have a suspected concussion and must stop participation in the hockey activity immediately. A hockey activity is defined as any GTHL on-ice or off-ice team function.
- b) **A suspected concussion can be identified in three ways:**
- i. Self-reported signs and symptoms by player– Even if only one symptom (*Figure 1*)
 - ii. Observable signs and symptoms from any team official (*Figure 2*)
 - iii. Peer-reported signs and symptoms from players, parents, and team officials (*Figure 1 and 2*)
 - iv. **If a player experiences a sudden onset of any of the “red flag symptoms”, 911 should be called immediately (*Figure 3*).**
- c) **Who is responsible for removal from play?** If a suspected concussion occurs, it is the responsibility of all team officials (coach, assistant coach, trainer, assistant trainer, manager, assistant manager or executive member) to remove the player from participation in the hockey activity immediately. When present, team trainers hold the final decision to remove players with a suspected concussion. If there is doubt whether a concussion has occurred, it is to be assumed that it has. **If in doubt, sit them out.**

GTHL Concussion Policy

Figure 1: GENERAL CONCUSSION SYMPTOMS

Headache	Feeling mentally foggy	Sensitive to light
Nausea	Feeling slowed down	Sensitive to noise
Dizziness	Difficulty concentrating	Irritability
Vomiting	Difficulty remembering	Sadness
Visual problems	Drowsiness	Nervous/anxious
Balance problems	Sleeping more/less than usual	More emotional
Numbness/tingling	Trouble falling asleep	Fatigue

Figure 2: VISUAL/OBSERVABLE SYMPTOMS

Lying down motionless on the playing surface
Slow to get up after a direct or indirect hit
Disorientation or confusion, or an inability to respond appropriately to questions
Blank or vacant look
Balance, gait difficulties motor incoordination, stumbling, slow labored movements
Facial injury after head trauma

Figure 3: RED FLAG SYMPTOMS

Headaches that worsen	Can't recognize people or places
Seizures or convulsion	Increasing confusion or irritability
Repeated vomiting	Weakness/tingling/burning in arms or legs
Loss of consciousness	Persistent or increasing neck pain
Looks very drowsy/can't be awakened	Unusual behavioural change
Slurred speech	Focal neurologic signs (e.g. paralysis, weakness, etc.)

STEP 2: REPORTING A SUSPECTED CONCUSSION

Completion and submission of the *GTHL Suspected Concussion Report Form (Page 5)*

- a) **Monitoring the player and recommend seeking medical assessment:** Team trainers are responsible to monitor the player with a suspected concussion until a parent/guardian is contacted or on-site. No player with a suspected concussion should be left alone. Team trainers must recommend to the individual's parent or guardian that they seek medical assessment immediately. In addition to **nurse practitioners** the types of **medical doctors** that are qualified to evaluate patients with a suspected concussion include: **family physician, pediatrician, emergency room physician, sports-medicine physician, neurologist or internal medicine and rehabilitation (physiatrists).** Documentation from any other source will not be acceptable.
- b) **Completion of the *GTHL Suspected Concussion Report Form*:** Team trainers are responsible for completing the *GTHL Suspected Concussion Report Form* immediately after a concussion is suspected.

If no team trainer is present for 2(a) and 2(b); order of next most responsible individuals:

- i. An individual with trainer certification
- ii. Team head coach

GTHL Concussion Policy

- c) **Submission of the *GTHL Suspected Concussion Report Form*:** If a suspected concussion occurs, the team trainer is responsible for completing and reviewing the *GTHL Suspected Concussion Report Form* and giving one copy of the report to the players parents/guardian to bring to medial assessment and another copy to the GTHL head offices (mfata@gthlcanada.com or Fax: 416-636-2035). If the form was completed by another individual with trainer certification or team head coach (as trainer was not present) the trainer is responsible for reviewing and submitting to GTHL head offices.

STEP 3: INITIAL MEDICAL ASSESSMENT

Assessment and diagnosis by a medical doctor (MD) or nurse practitioner (NP)

- a) **Seeking medical assessment:** If a player has been deemed to have had suspected concussion, it is the parent/guardian's responsibility to take the player to see a medical doctor or nurse practitioner immediately.
- b) **Required type of initial medial assessment:** In order to provide comprehensive evaluation of players with a suspected concussion, the medical assessment must rule out more serious forms of traumatic brain injury and spine injuries and must rule out medical and neurological conditions that can present with concussion-like symptoms and must make the diagnosis of concussion based on findings of the clinical history and physical examination and the evidence-based use of adjunctive tests as indicated. In addition to **nurse practitioners** the types of **medical doctors** that are qualified to evaluate patients with a suspected concussion include: **family physician, pediatrician, emergency room physician, sports-medicine physician, neurologist or internal medicine and rehabilitation (physiatrists).** Documentation from any other source will not be acceptable.
- c) **Obtaining appropriate diagnosis and documentation:** Written medical documentation must be obtained **if a concussion has occurred or not.**

STEP 4: MEDICAL DIAGNOSIS

Submission of medical documentation of concussion diagnosis

- a) **If a medical doctor/nurse practitioner determines that the player with a suspected concussion did not have a concussion diagnosis:**
- Parent/guardian must take the written documentation from the medical assessment (highlighting that the player did not have a concussion), and give this document to the team trainer.
 - It is the responsibility of the team trainer to submit medical documentation to the GTHL head offices before the player is permitted to return to a GTHL hockey activity (mfata@gthlcanada.com or Fax: 416- 636-2035).
 - Parent/guardian should continue to monitor the player for at **least 24-72 hours** after the event, as signs and symptoms may take hours or days to appear.
 - Team trainers have the right to refuse a player to return to any GTHL hockey activity if they deem the player unfit to do so.

GTHL Concussion Policy

- b) **If a medical doctor/nurse practitioner determines that the player with a suspected concussion does have a concussion diagnosis:**
- i. Parent/guardian must take the written documentation from the medical assessment (highlighting that the player has been diagnosed with a concussion), and give this document to the team trainer
 - ii. It is the responsibility of the team trainer to submit medical documentation, in addition to the [Hockey Canada Injury Report Form](#), to the to the GTHL head offices (mfata@gthlcanada.com or Fax: 416- 636-2035).
 - iii. The player is to begin Step 5 of the *GTHL Concussion Policy*

Note: Written documentation by medical doctor or nurse practitioner may be provided in any format from medical assessment. A recommended [Medical Assessment Letter](#) template can be found in *Parachute's Canadian Guideline for Concussion in Sport*.

STEP 5: CONCUSSION MANAGEMENT

Initial recovery and management

An initial period of **24-48 hour of rest** is recommended before starting the return to sport protocol. For management strategies read the [Concussion Handbook from Holland Bloorview Kids Rehabilitation Hospital](#) and review the recommended resources on [our website](#). Children and adolescents **should not return to sport until they have successfully returned to full school schedule and workload**. However, early introduction of symptom-limited physical activity is appropriate.

Most players who sustain a concussion while participating in sport will make a complete recovery and be able to return to full school and sport activities within 4 weeks of injury. However, approximately 15-30% will experience symptoms that persistent beyond that timeframe. If available, players who experience persistent concussion symptoms for >4 weeks may benefit from referral to a medically-supervised [multidisciplinary concussion services](#).

STEP 6: RETURN TO SPORT AND MEDICAL CLEARANCE

GTHL Return to Play Protocol (Page 7-10)

- a) After an initial period of **24-48 hour of rest**, the player with a concussion must complete each stage of the *GTHL Return to Play Protocol*. Players in no body checking leagues are to follow the no body checking protocol (Page 7 & 8); players in body checking leagues are to follow the body checking protocol (Page 9 & 10).
- b) Parent/guardian and the player are responsible to ensure that each stage of the *GTHL Return to Play Protocol* recommendations is followed appropriately and the required signatures are completed at each stage. Players must be able to participate in each stage's activities for a **minimum of 24 hours without experiencing any symptoms during or after the activities before moving onto the next stage**.
- c) If the player experiences onset or worsening of symptoms during or after the activities in any stage, the player should stop that activity immediately, rest for 24 hours and return to the previous successful stage before trying those activities again.
- d) Once stages 1-5 of the *GTHL Return to Play Protocol* have been completed, the player must receive **medical clearance** to proceed to *Stage 6: Full Team Practice*, which includes on ice contact, scrimmages and body checking (if applicable). A player is not permitted to return to



GTHL Concussion Policy

stage 6 or 7 activities until written clearance by a medical doctor or nurse practitioner. In addition to **nurse practitioners** the types of medical doctors that are qualified to support medical clearance for concussion include: **family physician, pediatrician, sports-medicine physician, neurologist or internal medicine and rehabilitation (physiatrists)**. **Documentation from any other source will not be acceptable.**

- e) Once medical clearance for *Stage 6: Full Team Practice* is obtained; the parent/guardian must provide the written clearance from the medical doctor or nurse practitioner (highlighting player is safe to return to full team practice) and completed *GTHL Return to Play Protocol* with signatures to their team trainer, prior to player participating in *Stage 6: Full Team Practice*.
- f) It is the responsibility of the team trainer to submit written medical clearance and *GTHL Return to Play Protocol* with signatures completed to the GTHL head offices. (mfata@gthlcanada.com or Fax: 416- 636-2035) prior to the player participating in *Stage 7: Return to Game Play*.
- g) Do not progress to game play until player has regained their pre-injury skill-level and player is confident in their ability to return to activity.
- h) Team trainers have the right to refuse a player to return to any GTHL hockey activity if they deem the player unfit to do so.

Special Considerations

This concussion policy aims to ensure that players with a suspected concussion are removed from play immediately, and players with a concussion not return to full participation in GTHL hockey activities before medically cleared to do so. The above steps relate most directly to a player who sustains a concussion during a GTHL hockey activity and this injury is identified immediately. Not all concussions will be identified immediately and not all concussions will take place during GTHL hockey activities. Two alternative scenarios are presented below:

Scenario 1: A suspected concussion from a GTHL activity is not identified and/or reported until days or weeks after the GTHL activity. **Enter at Step 2.** Immediately upon the suspected concussion being identified and/or reported to GTHL team officials, the team trainer is to complete the *GTHL Suspected Concussion Report Form* and recommend that the player seek a medical assessment immediately.

Scenario 2: A player is diagnosed with a concussion from a non GTHL activity (i.e. school, other sports, non GTHL related games or training). **Enter at Step 4.** Upon receiving written diagnosis from parent/guardian, the trainer is to submit medical assessment documentation to GTHL offices. As the concussion did not happen at the GTHL activity, no *GTHL Suspected Concussion Report Form* is needed.

Referring Documents:

1. *GTHL Suspected Concussion Report Form* (Page 6)
2. *GTHL Concussion Policy Summary* (Page 7)
3. *GTHL Return to Play Protocol No Body Checking* (Page 8 & 9)
4. *GTHL Return to Play Protocol Body Checking* (Page 10 & 11)

If you have any questions or concerns regarding the GTHL Concussion Policy please contact the GTHL Office:

Phone: 416-636-6845

Email: mfata@gthlcanada.com

Fax: 416- 636-2035

This GTHL Concussion Policy is available at gthlcanada.com/concussions